

Chapter 7

BIBLIOGRAPHY

Bibliography

Alberts, B., Johnson, A., Lewis, J., Raff, M., Roberts, K., and Walter, P., 2002. *Molecular Biology of The Cell*. Garland Science, New York, USA.

Amoutzias, G., Veron, A., 3rd, W. J., Robinson-Rechavi, M., Bornberg-Bauer, E., Oliver, S., and Robertson, D., 2007. One billion years of bzip transcription factor evolution: conservation and change in dimerization and dna-binding site specificity. *Mol Biol Evol*, **24(3)**:827–35.

Arnosti, D., Barolo, S., Levine, M., and Small, S., 1996. The eve stripe 2 enhancer employs multiple modes of transcriptional synergy. *Development*, **122(1)**:205–14.

Arnosti, D. and Kulkarni, M., 2005. Transcriptional enhancers: Intelligent enhanceosomes or flexible billboards? *J Cell Biochem*, **94(5)**:890–8.

Berg, J., Willmann, S., and Lassig, M., 2004. Adaptive evolution of transcription factor binding sites. *BMC Evol Biol*, **4(1)**:42.

Bergman, C., Pfeiffer, B., Rincon-Limas, D., Hoskins, R., Gnirke, A., Mungall, C., Wang, A., Kronmiller, B., Pacleb, J., Park, S., *et al.*, 2002. Assessing the impact of comparative genomic sequence data on the functional annotation of the drosophila genome. *Genome Biol*, **3(12)**:RESEARCH0086.

Bilu, Y. and Barkai, N., 2005. The design of transcription-factor binding sites is affected by combinatorial regulation. *Genome Biol*, **6(12)**:R103.

- Bingham, C., Ellard, S., van't Hoff WG, Simmonds, H., Marinaki, A., Badman, M., Winocour, P., Stride, A., Lockwood, C., Nicholls, A., *et al.*, 2003. Atypical familial juvenile hyperuricemic nephropathy associated with a hepatocyte nuclear factor-1beta gene mutation. *Kidney Int*, **63(5)**:1645–51.
- Birney, E., Andrews, D., Caccamo, M., Chen, Y., Clarke, L., Coates, G., Cox, T., Cunningham, F., Curwen, V., Cutts, T., *et al.*, 2006. Ensembl 2006. *Nucleic Acids Res*, **34(Database)**:D556–D561.
- Bryne, J., Valen, E., Tang, M., Marstrand, T., Winther, O., da Piedade I, Krogh, A., Lenhard, B., and Sandelin, A., 2008. Jaspar, the open access database of transcription factor-binding profiles: new content and tools in the 2008 update. *Nucleic Acids Res*, **36(Database)**:D102–D106.
- Bucher, P., 1990. Weight matrix descriptions of four eukaryotic rna polymerase ii promoter elements derived from 502 unrelated promoter sequences. *J Mol Biol*, **212(4)**:563–78.
- Chen, J., Cooper, A. D., and Levy-Wilson, B., 1999. Hepatocyte nuclear factor 1 binds to and transactivates the human but not the rat cyp7a1 promoter. *Biochem Biophys Res Commun*, **260(3)**:829–34.
- Chen, J., Levy-Wilson, B., Goodart, S., and Cooper, A., 2002. Mice expressing the human cyp7a1 gene in the mouse cyp7a1 knock-out background lack induction of cyp7a1 expression by cholesterol feeding and have increased hypercholesterolemia when fed a high fat diet. *J Biol Chem*, **277(45)**:42588–95.
- Choo, Y. and Klug, A., 1994. Selection of dna binding sites for zinc fingers using rationally randomized dna reveals coded interactions. *Proc Natl Acad Sci*, **91**:11168–11172.
- Cliften, P., Sudarsanam, P., Desikan, A., Fulton, L., Fulton, B., Majors, J., Waterston, R., Cohen, B. A., and Johnston, M., 2003. Finding functional features in saccharomyces genomes by phylogenetic footprinting. *Science*, **301(5629)**:71–6.

- Corey, D., 2005. Regulating mammalian transcription with ma. *Trends Biochem Sci*, **30(12)**:655–8.
- Crabtree, G., Schibler, U., and Scott, M., 1992. *Transcriptional Regulation*, volume 2, chapter 40, pages 1063–1102. Cold Spring Harbor Laboratory Press, Woodbury, New York, USA.
- Delwel, R., Funabiki, T., Kreider, B. L., Morishita, K., and Ihle, J. N., 1993. Four of the seven zinc fingers of the evi-1 myeloid-transforming gene are required for sequence-specific binding to ga(c/t)aaga(t/c)aagataa. *Mol Cell Biol*, **13(7)**:4291–300.
- Dermitzakis, E. T., Bergman, C. M., and Clark, A. G., 2003. Tracing the evolutionary history of drosophila regulatory regions with models that identify transcription factor binding sites. *Mol Biol Evol*, **20(5)**:703–14.
- Dermitzakis, E. T. and Clark, A. G., 2002. Evolution of transcription factor binding sites in mammalian gene regulatory regions: conservation and turnover. *Mol Biol Evol*, **19(7)**:1114–21.
- Donaldson, I. and Gottgens, B., 2006. Evolution of candidate transcriptional regulatory motifs since the human-chimpanzee divergence. *Genome Biol*, **7(6)**:R52.
- Doniger, S. and Fay, J., 2007. Frequent gain and loss of functional transcription factor binding sites. *PLoS Comput Biol*, **3(5)**:e99.
- Efron, B., Halloran, E., and Holmes, S., 1996. Bootstrap confidence levels for phylogenetic trees. *Proc Natl Acad Sci*, **93(14)**:13429–34.
- Ellrott, K., Yang, C., Sladek, F., and Jiang, T., 2002. Identifying transcription factor binding sites through markov chain optimization. *Bioinformatics*, **18 Suppl 2**:S100–9.
- Emberly, E., Rajewsky, N., and Siggia, E., 2003. Conservation of regulatory elements between two species of drosophila. *BMC Bioinformatics*, **4**:57.

- Felsenstein, J., 2004. *Inferring Phylogenies*. Sinauer Associates, Inc, Sunderland, Massachusetts.
- Fickett, J., 1996. Coordinate positioning of mef2 and myogenin binding sites. *Gene*, **172(1)**:GC19–32.
- Gasch, A., Moses, A., Chiang, D., Fraser, H., Berardini, M., and Eisen, M., 2004. Conservation and evolution of cis-regulatory systems in ascomycete fungi. *PLoS Biology*, **2(12)**:e398.
- Gill, G., 2005. Something about sumo inhibits transcription. *Curr Opin Genet Dev*, **15(5)**:536–41.
- Goessling, E., Kel-Margoulis, O. V., Kel, A. E., and Wingender, E., 2001. Match - a tool for searching transcription factor binding sites in dna sequences. application for the analysis of human chromosomes. In *GCB 01 German Conference on Bioinformatics*, Germany.
- Greenbaum, J., Parker, S., and Tullius, T., 2007. Detection of dna structural motifs in functional genomic elements. *Genome Res*, **17(6)**:940–6.
- Hahn, M., Stajich, J., and Wray, G., 2003. The effects of selection against spurious transcription factor binding sites. *Mol Biol Evol*, **20(6)**:901–6.
- Hardison, R., Roskin, K., Yang, S., Diekhans, M., Kent, W., Weber, R., Elnitski, L., Li, J., O'Connor, M., Kolbe, D., *et al.*, 2003. Covariation in frequencies of substitution, deletion, transposition, and recombination during eutherian evolution. *Genome Res*, **13(1)**:13–26.
- Hatzis, P. and Talianidis, I., 2002. Dynamics of enhancer-promoter communication during differentiation-induced gene activation. *Mol Cell*, **10(6)**:1467–77.
- Hillier, L., Miller, W., Birney, E., Warren, W., Hardison, R., Ponting, C., Bork, P., Burt, D., Groenen, M., Delany, M., *et al.*, 2004. Sequence and comparative analysis of the chicken genome provide unique perspectives on vertebrate evolution. *Nature*, **432**:695–716.

Horvath, C., Wen, Z., and Darnell, J., 1995. A stat protein domain that determines dna sequence recognition suggests a novel dna-binding domain. *Genes Dev*, **9(8)**:984–94.

Ihmels, J., Bergmann, S., Gerami-Nejad, M., Yanai, I., McClellan, M., Berman, J., and Barkai, N., 2005. Rewiring of the yeast transcriptional network through the evolution of motif usage. *Science*, **309(5736)**:938–40.

Inoue, H., Imamura, T., Ishidou, Y., Takase, M., Udagawa, Y., Oka, Y., Tsuneizumi, K., Tabata, T., Miyazono, K., and Kawabata, M., *et al.*, 1998. Interplay of signal mediators of decapentaplegic (dpp): molecular characterization of mothers against dpp, medea, and daughters against dpp. *Mol Biol Cell*, **9(8)**:2145–56.

Ioshikhes, I. and Zhang, M., 2000. Large-scale human promoter mapping using cpg islands. *Nature Genetics*, **26**:61–63.

Johnson, D., Mortazavi, A., Myers, R., and Wold, B., 2007. Genome-wide mapping of in vivo protein-dna interactions. *Science*, **316(5830)**:1497–502.

Keighley, P., Lercher, M., and Eyre-Walker, A., 2005. Evidence for widespread degradation of gene control regions in hominid genomes. *PLoS Biol*, **3(2)**:e42.

Kent, W., 2002. Blat - the blast-like alignment tool. *Genome Res*, **12(4)**:656–664.

Kent, W., Sugnet, C. W., Furey, T. S., Roskin, K., Pringle, T. H., Zahler, A. M., and Haussler, D., 2002. The human genome browser at ucsc. *Genome Res*, **12(6)**:996–1006.

Khaitovich, P., Weiss, G., Lachmann, M., Hellmann, I., Enard, W., Muetzel, B., Wirkner, U., Ansorge, W., and Paabo, S., 2004. A neutral model of transcriptome evolution. *PLoS Biol*, **2(5)**:e132.

King, D., Taylor, J., Zhang, Y., Cheng, Y., Lawson, H., groups for Transcriptional Regulation, M. J. E., Analysis, M. S., Chiaromonte, F., Miller,

- W., and Hardison, R., *et al.*, 2007. Finding cis-regulatory elements using comparative genomics: some lessons from encode data. *Genome Res*, **17(6)**:775–86.
- Krivan, W. and Wasserman, W., 2001. A predictive model for regulatory sequences directing liver-specific transcription. *Genome Res*, **11(9)**:1559–66.
- Laudet, V., 1997. Evolution of the nuclear receptor superfamily: early diversification from an ancestral orphan receptor. *J Mol Endocrinol*, **19(3)**:207–26.
- Lehmann, J. M. K., Moore, S. A., Smith-Oliver, L. B., Oliver, T. A., Su, B. B., Sundseth, J. L., Winegar, S. S., Blanchard, D. A., Spencer, D. E., Willson, T. A., *et al.*, 1997. Activation of the nuclear receptor lxr by oxysterols defines a new hormone response pathway. *J Biol Chem*, **272(6)**:3137–3140.
- Lenhard, B., Hayes, W., and Wasserman, W., 2001. Genelynx: a gene-centric portal to the human genome. *Genome Res*, **11(12)**:2151–7.
- Lenhard, B. and Wasserman, W., 2002. Tfbs: Computational framework for transcription factor binding site analysis. *Bioinformatics*, **18(8)**:1135–6.
- Levitsky, V., Ignatieva, E., Proscura, A., Pozdnyakov, M., and Busygina, T., 2002. Recognition of binding sites for the transcription factors srebp, ppar, hnf4,coup-tf and sf-1 by a genetic algorithm based on iterative discriminant analysis. In *Proceedings of the third international conference on bioinformatics of genome regulation and structure*, volume 1, pages 51–54, Novosibirsk, Russia.
- Lockwood, C., Bingham, C., and Frayling, T., 2003. In silico searching of human and mouse genome data identifies known and unknown hnf1 binding sites upstream of beta-cell genes. *Mol Genet Metab*, **78(2)**:145–51.
- Lockwood, C. and Frayling, T., 2002. Hnf1-alpha binding sites in a computer search. In *Proceedings of the third international conference on bioin-*

formatics of genome regulation and structure, volume 1, pages 101–103, Novosibirsk, Russia.

Lockwood, C. and Frayling, T., 2003. Highlighting binding sites for the transcription factor hnf1alpha. *In Silico Biology*, **3**:57–70.

Ludwig, M. Z., Bergman, C., Patel, N. H., and Kreitman, M., 2000. Evidence for stabilizing selection in a eukaryotic enhancer element. *Nature*, **403(6769)**:564–7.

Ma, B., Tromp, J., and Li, M., 2002. Patternhunter: faster and more sensitive homology search. *Bioinformatics*, **18(3)**:440–5.

Mangelsdorf, D. J., Thummel, C., Beato, M., Herrlich, P., Schutz, G., Umesono, K., Blumberg, B., Kastner, P., Mark, M., Chambon, P., *et al.*, 1995. The nuclear receptor superfamily: the second decade. *Cell*, **83(6)**:835–9.

Margulies, E., Cooper, G., Asimenos, G., Thomas, D., Dewey, C., Siepel, A., Birney, E., Keefe, D., Schwartz, A., Hou, M., *et al.*, 2007. Analyses of deep mammalian sequence alignments and constraint predictions for 1 *Genome Res*, **17(6)**:760–74.

Matys, V., Kel-Margoulis, O. V., Fricke, E., Liebich, I., Land, S., Barre-Dirrie, A., Reuter, I., Chekmenov, D., Krull, M., Hornischer, K., *et al.*, 2006. Transfac and its module transcompel: transcriptional gene regulation in eukaryotes. *Nucleic Acids Res*, **34(Database)**:D108–D110.

Matzke, M. and Matzke, A., 2004. Planting the seeds of a new paradigm. *PLoS Biol*, **2(5)**:E133.

MGSC, 2002. Initial sequencing and comparative analysis of the mouse genome. *Nature*, **420**:520–562.

Misawa, K. and Janke, A., 2003. Revisiting the glires concept—phylogenetic analysis of nuclear sequences. *Mol Phylogenet Evol*, **28(2)**:320–7.

- Miura, N. and Tanaka, K., 1993. Analysis of the rat hepatocyte nuclear factor (hnf) 1 gene promoter: synergistic activation by hnf4 and hnf1 proteins. *Nucleic Acids Res*, **21(16)**:3731–6.
- Moses, A., Chiang, D., Kellis, M., Lander, E., and Eisen, M., 2003. Position specific variation in the rate of evolution in transcription factor binding sites. *BMC Evol Biol*, **3**:19.
- Moses, A., Pollard, D., Nix, D., Iyer, V., Li, X., Biggin, M., and Eisen, M., 2006. Large-scale turnover of functional transcription factor binding sites in drosophila. *PLoS Comput Biol*, **2(10)**:e130.
- Muller, A., MacCallum, R. M., and Sternberg, M. J., 2002. Structural characterization of the human proteome. *Genome Res*, **12(11)**:1625–41.
- Murphy, W., Eizirik, E., O’Brien, S., Madsen, O., Scally, M., Douady, C., Teeling, E., Ryder, O., Stanhope, M., de Jong WW, *et al.*, 2001. Resolution of the early placental mammal radiation using bayesian phylogenetics. *Science*, **294(5550)**:2348–51.
- Mustonen, V. and Lassig, M., 2005. Evolutionary population genetics of promoters: predicting binding sites and functional phylogenies. *Proc Natl Acad Sci*, **102(44)**:15936–41.
- Notredame, C., Higgins, D., and Heringa, J., 2000. T-coffee: A novel method for fast and accurate multiple sequence alignment. *J Mol Biol*, **302(1)**:205–17.
- Nurtdinov, R., Artamonova, I., Mironov, A., and Gelfand, M., 2002. Are patterns of alternative splicing of mammalian genes conserved? In *Proceedings of the third international conference on bioinformatics of genome regulation and structure*, volume 3, pages 36–37, Novosibirsk, Russia.
- Odom, D., Dowell, R., Jacobsen, E., Gordon, W., Danford, T., Macisaac, K., Rolfe, P., Conboy, C., Gifford, D., and Fraenkel, E., *et al.*, 2007. Tissue-specific transcriptional regulation has diverged significantly between human and mouse. *Nat Genet*, **39(6)**:730–732.

- Odom, D., Zizlsperger, N., Gordon, D., Bell, G., Rinaldi, N., Murray, H., Volkert, T., Schreiber, J., Rolfe, P., Gifford, D., *et al.*, 2004. Control of pancreas and liver gene expression by hnf transcription factors. *Science*, **303(5662)**:1378–81.
- O’Lone, R., Frith, M. C., Karlsson, E. K., and Hansen, U., 2004. Genomic targets of nuclear estrogen receptors. *Mol Endocrinol*, **18(8)**:1859–1875.
- Pearson, E., Badman, M., Lockwood, C., Clark, P., Ellard, S., Bingham, C., and Hattersley, A., 2004. Contrasting diabetes phenotypes associated with hepatocyte nuclear factor-1alpha and -1beta mutations. *Diabetes Care*, **27(5)**:1102–7.
- Peet, D., Turley, S., Ma, W., Janowski, B., Lobaccaro, J., Hammer, R., and Mangelsdorf, D., 1998. Cholesterol and bile acid metabolism are impaired in mice lacking the nuclear oxysterol receptor lxr alpha. *Cell*, **93(5)**:693–704.
- Pollard, D., Bergman, C., Stoye, J., Celniker, S., and Eisen, M., 2004. Benchmarking tools for the alignment of functional noncoding dna. *BMC Bioinformatics*, **5**:6.
- Pollard, D., Moses, A., Iyer, V., and Eisen, M., 2006. Detecting the limits of regulatory element conservation and divergence estimation using pairwise and multiple alignments. *BMC Bioinformatics*, **7**:376.
- Pruitt, K., Tatusova, T., and Maglott, D., 2005. Ncbi reference sequence (refseq): a curated non-redundant sequence database of genomes, transcripts and proteins. *Nucleic Acids Res*, **33(Database)**:D501–4.
- Ptashne, M. and Gann, A., 2002. *Genes and Signals*. Cold Spring Harbor Laboratory Press, Woodbury, New York, USA.
- Reinitz, J., Hou, S., and Sharp, D., 2003. Transcriptional control in drosophila. *Complexus*, **1(2)**:54–64.
- Roulet, E., Bucher, P., Schneider, R., Wingender, E., Dusserre, Y., Werner, T., and Mermod, N., 2000. Experimental analysis and computer prediction of ctf/nfi transcription factor dna binding sites. *J Mol Biol*, **297(4)**:833–48.

- Rudel, L., Deckelman, C., Wilson, M., Scobey, M., and Anderson, R., 1994. Dietary cholesterol and downregulation of cholesterol 7 alpha-hydroxylase and cholesterol absorption in african green monkeys. *J Clin Invest*, **93(6)**:2463–72.
- Sandelin, A., Alkema, W., Engstrom, P., Wasserman, W., and Lenhard, B., 2004. JaspAr: an open-access database for eukaryotic transcription factor binding profiles. *Nucleic Acids Res*, **32(Database)**:D91–4.
- Sauer, T., Shelest, E., and Wingender, E., 2006. Evaluating phylogenetic footprinting for human-rodent comparisons. *Bioinformatics*, **22(4)**:430–7.
- Schneider, T. D., Stormo, G. D., Gold, L., and Ehrenfeucht, A., 1986. Information content of binding sites on nucleotide sequences. *J Mol Biol*, **188(3)**:415–31.
- Schwartz, S., Kent, W., Smit, A., Zhang, Z., Baertsch, R., Hardison, R., Haussler, D., and Miller, W., 2003. Human-mouse alignments with blastz. *Genome Res*, **13(1)**:103–7.
- Sengupta, A. M., Djordjevic, M., and Shraiman, B. I., 2002. Specificity and robustness in transcription control networks. *Proc Natl Acad Sci U S A*, **99(4)**:2072–7.
- Shoshani, J. and McKenna, M., 1998. Higher taxonomic relationships among extant mammals based on morphology, with selected comparisons of results from molecular data. *Mol Phylogenet Evol*, **9(3)**:572–84.
- Staden, R., 1984. Computer methods to locate signals in nucleic acid sequences. *Nucleic Acids Res*, **12(1 Pt 2)**:505–19.
- Stajich, J., Block, D., Boulez, K., Brenner, S., Chervitz, S., Dagdigian, C., Fuellen, G., Gilbert, J., Korf, I., Lapp, H., *et al.*, 2002. The bioperl toolkit: Perl modules for the life sciences. *Genome Res*, **12(10)**:1611–8.
- Stone, J. R. and Wray, G. A., 2001. Rapid evolution of cis-regulatory sequences via local point mutations. *Mol Biol Evol*, **18(9)**:1764–70.

- Tanay, A., Regev, A., and Shamir, R., 2005. Conservation and evolvability in regulatory networks: The evolution of ribosomal regulation in yeast. *Proc Natl Acad Sci*, **102(20)**:7203–7208.
- Tatusova, T. A. and Madden, T. L., 1999. Blast 2 sequences - a new tool for comparing protein and nucleotide sequences. *FEMS Microbiol Lett*, **174**:247–250.
- Taylor, M., Kai, C., Kawai, J., Carninci, P., Hayashizaki, Y., and Semple, C., 2006. Heterotachy in mammalian promoter evolution. *PLoS Genetics*, **2(4)**:e30.
- Teichmann, S. and Babu, M., 2004. Gene regulatory network growth by duplication. *Nature Genetics*, **36(5)**:492–6.
- Thomas, J. W., Touchman, J. W., Blakesley, R. W., Bouffard, G. G., Beckstrom-Sternberg, S. M., Margulies, E. H., Blanchette, M., Siepel, A. C., Thomas, P. J., McDowell, J. C., *et al.*, 2003. Comparative analyses of multi-species sequences from targeted genomic regions. *Nature*, **424**:788–793.
- Thompson, J., Higgins, D., and Gibson, T., 1994. Clustal w: improving the sensitivity of progressive multiple sequence alignment through sequence weighting, position-specific gap penalties and weight matrix choice. *Nucleic Acids Res*, **22**:4673–4680.
- Tronche, F., Ringeisen, F., Blumenfeld, M., Yaniv, M., and Pontoglio, M., 1997. Analysis of the distribution of binding sites for a tissue-specific transcription factor in the vertebrate genome. *J Mol Biol*, **266(2)**:231–45.
- Tsunoda, T. and Takagi, T., 1999. Estimating transcription factor binding ability on dna. *Bioinformatics*, **15**:622–630.
- von Dassow G, Meir, E., Munro, E., and Odell, G., 2000. The segment polarity network is a robust developmental module. *Nature*, **406(6792)**:188–92.
- von Hippel PH and Berg, O., 1986. On the specificity of dna-protein interactions. *Proc Natl Acad Sci*, **83**:1608–1612.

- Wain, H., Lush, M., Ducluzeau, F., Khodiyar, V., and Povey, S., 2004. Genew: the human gene nomenclature database, 2004 updates. *Nucleic Acids Res*, **32(Database)**:D255–7.
- Wheeler, D., Church, D., Edgar, R., Federhen, S., Helmberg, W., Madden, T., Pontius, J., Schuler, G., Schriml, L., Sequeira, E., *et al.*, 2004. Database resources of the national center for biotechnology information: update. *Nucleic Acids Res*, **32(Database)**:D35–40.
- Wheeler, D. L., Barrett, T., Benson, D. A., Bryant, S. H., Canese, K., Chetvernin, V., Church, D. M., DiCuccio, M., Edgar, R., Federhen, S., *et al.*, 2006. Database resources of the national center for biotechnology information. *Nucleic Acids Res*, **34(Database)**:D173–D180.
- Whelan, S. and Goldman, N., 2004. Estimating the frequency of events that cause multiple-nucleotide changes. *Genetics*, **167(4)**:2027–43.
- Whitmarsh, A., 2002. Examining signaling specificity to transcription factors. *Methods*, **26(3)**:217–25.
- Wingender, E., Kel, A., Gobling, E., Hornischer, K., Lewicki-Potapov, B., Tchekmenev, D., and Kel-Margoulis, O., 2002. All human genome analysis for regulatory signals. In *Proceedings of the third international conference on bioinformatics of genome regulation and structure*, volume 1, pages 101–103, Novosibirsk, Russia.
- Xie, X., Mikkelsen, T., Gnirke, A., Lindblad-Toh, K., Kellis, M., and ES, L., 2007. Systematic discovery of regulatory motifs in conserved regions of the human genome and including thousands of ctf insulator sites. *Proc Natl Acad Sci*, **104(17)**:7145–50.
- Xu, G., Pan, L., Li, H., Shang, Q., Honda, A., Shefer, S., Bollineni, J., Matsuzaki, Y., Tint, G., and Salen, G., *et al.*, 2004. Mice expressing the human cyp7a1 gene in the mouse cyp7a1 knock-out background lack induction of cyp7a1 expression by cholesterol feeding and have increased hypercholesterolemia when fed a high fat diet. *Am J Physiol Gastrointest Liver Physiol*, **286(5)**:G730–5.

Yang, Z. and Nielsen, R., 2000. Estimating synonymous and nonsynonymous substitution rates under realistic evolutionary models. *Mol Biol Evol*, **17(1)**:32–43.

Zhang, B., Pan, X., Cobb, G., and Anderson, T., 2006. Plant microRNA: a small regulatory molecule with big impact. *Dev Biol*, **289(1)**:3–16.

Zilliacus, J., Carlstedt-Duke, J., Gustafsson, J. A., and Wright, A. P., 1994. Evolution of distinct dna-binding specificities within the nuclear receptor family of transcription factors. *Proc Natl Acad Sci U S A*, **91(10)**:4175–9.

Declaration: no portion of the work referred to in the thesis has been submitted in support of an application for another degree or qualification of this or any other university or other institute of learning, except for the reuse of some Perl modules (altered as required), originally written during the candidate’s Master in BioInformatics course (University of Exeter)

- i. The author of this thesis (including any appendices to this thesis) owns any copyright in it (the “Copyright”) and he has given The University of Manchester the right to use such Copyright for any administrative, promotional, educational and/or teaching purposes.
- ii. Copies of this thesis, either in full or in extracts, may be made **only** in accordance with the regulations of the John Rylands University Library of Manchester. Details of these regulations may be obtained from the Librarian. This page must form part of any such copies made.
- iii. The ownership of any patents, designs, trade marks, and any and all other intellectual property rights except for the Copyright (the “Intellectual Property Rights”) and any reproductions of copyright works, for example graphs and tables (“Reproductions”), which may be described in this thesis, may not be owned by the author and may be owned by third parties. Such Intellectual Property Rights and Reproductions cannot and must not be made available for use without the prior written permission of the owner(s) of the relevant Intellectual Property Rights and/or Reproductions.
- iv. Further information on the conditions under which disclosure, publication and exploitation of this thesis, the Copyright and any Intellectual Property Rights and/or Reproductions described in it may take place is available from the Vice-President and Dean of the Faculty of Life Sciences.